



SPART[®]

www.spartfitness.it

WEIGHT LIFTING

OLYMPIC BARS
HEX BARS
POWER BANDS
BUMPER PLATES
KETTLEBELL
DUMBBELL
WOODEN JERK BLOCKS
WEIGHTLIFTING PLATFORM
DROP MATS
HANDLEBARS

▷ OBM-86-80-66-47C



OLYMPIC BAR

Full olympic barbell line, abrasion resistant on the barshaft and sleeves, and realized in industrial hard chrome.

Equipped with bearings and brush bushing for remarkable characteristics of resistance and flexibility, ideal for weightlifting and crosstraining.

Maximum load for the first two bars 700Kg

PRODUCT FEATURES

- OLYMPIC WL BAR(OBM-86)**
 Total Length: 2200mm
 Satin Finish: Abrasion resistant industrial hard chrome on the bar shaft and sleeves
 20KG 28MM BEARING 190K PSI TENSILE STRENGTH
- WOMEN'S OLYMPIC WL BAR(OBM-80)**
 Total Length: 2010mm
 Satin Finish: Abrasion resistant industrial hard chrome on the bar shaft and sleeves
 15KG 25MM BEARING 190K PSI TENSILE STRENGTH
- JUNIOR TRAINING BAR(OBM-66)**
 Total Length: 1680mm
 Satin Finish: Abrasion resistant industrial hard chrome on the bar shaft and sleeves
 10KG 25MM BEARING 150K PSI TENSILE STRENGTH
- SHAPED BAR(OBM-47C)**
 Total Length: 1200mm
 Satin Finish: Abrasion resistant industrial hard rock oxide on the bar and chrome on the sleeves
 10KG 25MM BEARING 150K PSI TENSILE STRENGTH

▷ OBM-86-MBB



▷ OBM-80-HBB



▷ OBM-86C



CERAKOTE COATING



▷ OBM-80C



CERAKOTE COATING



MAN CROSS BAR

Olympic barbell, realized in total black design. Equipped with **brass bushing**, great for crosstraining.

Maximum load 700 Kg

WOMAN CROSS BAR

Olympic barbell, realized in total black design. Equipped with **brass bushing**, great for crosstraining.

Maximum load 700 Kg

MAN CERAKOTE BAR

Olympic barbell abrasion resistant on the barshaft and sleeves, and realized in industrial hard chrome. Equipped with **bearings** and **brass bushing** so remarkably resistant and flexible, it is ideal for crosstraining and weightlifting. The ceramic coating in Cerakote alloy makes it extremely resistant and flexible, for the most demanding athletes and crossfitters.

Maximum load 750 Kg

WOMAN CERAKOTE BAR

Olympic barbell abrasion resistant on the barshaft and sleeves, and realized in industrial hard chrome. Equipped with **bearings** and **brass bushing** so remarkably resistant and flexible, it is ideal for crosstraining and weightlifting. The ceramic coating in Cerakote alloy makes it extremely resistant and flexible, for the most demanding athletes and crossfitters.

Maximum load 750 Kg

OLYMPIC BARS RACK

TECHNICAL MEASURES

WL4500 Bar support nine barbells
WL4500 Assembly Size: L50 x W50 x H16cm

FK1018 Bar support eight barbells
FK1018 Assembly Size: L83 x W50 x H30 cm

▷ WL4500



▷ FK1018



▷ WL7114



BARBELL WALL RACK

TECHNICAL MEASURES

Barbell wall rack 6 barbells
Size: 14,5 x 7 cm each - 106 cm (H)

▷ WE1003



▷ WL4001



▷ ST3017



LIFTING BELT

Size: 105 x 10 cm
Size: 115 x 10 cm
Size: 125 x 10 cm

Weight lifting belt, made of high quality leather. Provides a firm grip both on the equipment and on wear clothing, also thanks to the double hook buckle with which it is provided.

HEX BAR

TECHNICAL MEASURES

Assembly size: 168 x 80 x 29 cm
Main pipe: 50 x 3 mm
Packing size: 96 x 45 x 19 cm
G.W./N.W.: 27 Kg / 24 Kg
Max loading: 300 Kg

PRODUCT FEATURES

Ideal for Dead lifts, Squats, Shrugs, Farmers Walk and Core Fitness, our Hex Bar comes with rotating handles which enable user to vary the grip, intensifying and adjusting the workout. Three different handles can adapt to any workout. Elegant Made in Italy design and top reliability.

BARBELL RACK

Size: 46 x 46 x 36 cm (H)
Max loading: 400 Kg

Support designed as a landing base for barbells and help for beginners.

BAR PAD

TECHNICAL MEASURES

Length 45 cm

It is made with foam covered PVC which provides supreme cushion (even with very heavy weights) where the body contacts the barbell to provide maximum cervical vertebrae (neck) support.

BARBELL PAD

TECHNICAL MEASURES

Length 45 cm

SPRING COLLARS

WL8501

Ideal for 50 mm bar

WL8502

Ideal for 50 mm bar

BARBELL COLLARS

CL1003 Aluminium 50mm
CL1001 Plastic 28mm/50mm

Designed to be used on 50mm(or 28mm) Olympic Bar Sleeves Rubberized interior lining to protect bar locking clamp mechanism for secure hold.

WE7003



WE7004



WL8501



WL8502



CL1003



CL1001



WL7003



WE7005



WE7006



WL8014



POWER BAND

A power lifter's favorite! Resistance bands attach to bars and benches for added resistance during lifts. Bands are also an effective stretching tool. Sturdy seamless construction. Colors: RED, BLACK, PURPLE, GREEN, ORANGE

Size:
200cm x 1.3cm x 0.45cm
(Resistance is 7kg - 16kg)
200cm x 2.2cm x 0.45cm
(Resistance is 11kg - 30kg)
200cm x 3.2cm x 0.45cm
(Resistance is 16kg - 38kg)
200cm x 4.4cm x 0.45cm
(Resistance is 22kg - 56kg)
200cm x 6.5cm x 0.45cm
(Resistance is 30kg - 80kg)

GYMNASTIC GRIPS

TECHNICAL MEASURES

This beginner grip is a basic palm protector made of soft leather. Polypropylene wrist cuff and hook and loop closures

WE7005 Size: L, XL

WE7006 Size: S/M, L/XL

GYM CHALK

300 gr

It is designed for climbing on rock or artificial walls. It's also great for use on flying trapeze or for absorbing excess adhesive after taping an aerial hoop.

BLACK BUMPER PLATE

Durable, rugged plates are engineered to meet the most demanding bumper plate standards.

Drop test: 2m x 5000 repetitions
Steel rim bushing
Weights: 5kg-25kg in 5kg increments



RUBBER BUMPER PLATE

Plates feature solid rubber construction Include solid steel inserts to protect equipment as well as facilitate easier plate loading and removal.

Drop test : 2m x 5000 repetitions
Steel rim bushing.
Weights: 5kg-25kg in 5kg increments

URETHANE BUMPER PLATE(CPU)

CPU Urethane encased outer shell provides unsurpassed durability, because it is molded around a large inner flange to ensure strength and stability.

Drop test : 2m x 10000 repetitions
Steel rim bushing.
Weights: 5kg-25kg in 5kg increments

▷ WL5002



▷ ST1047



▷ WL5006



BUMPER PLATE RACK

TECHNICAL MEASURES

Assembly Size: 146x34x28cm

The rack can be loaded with bumper plate:
1kg x 2pcs, 1.5kg x 2pcs,
2kg x 2pcs, 2.5kg x 2pcs,

5kg x 2pcs, 10kg x 2pcs
15kg x 2pcs, 20kg x 2pcs, 25kg x 2pcs

VERTICAL PLATE RACK

TECHNICAL MEASURES

Size: 74 x 60 x 120 cm (H)

Space saving bumper plate rack,
equipped with wheels.

FRACTIONAL BUMPER PLATE

TECHNICAL MEASURES

CPU urethane encased fractional bumper plates, providing great durability for a safe and more personalized powerlifting workout.

Weights:
1kg, 1.5kg, 2kg, 2.5kg

HEXAGON DUMBBELL

Cast metal dumbbell heads encased with a thick rubber coating to prevent chipping and help protect floors and equipment. Solid steel knurled ergonomic handle with zinc coating.

Weights:
1kg-10kg in 1kg increments
12.5kg-50kg in 2.5kg increments
55kg-80kg in 5kg increments

ROUND DUMBBELL

WL3010
Extremely handy and reliable round rubber dumbbells. Straight and knurled handle for optimal grip, suitable for professional use. New total black design and guaranteed resistance.

TECHNICAL MEASURES
Weights:
1kg-50kg in 2.5kg increments

WL7101
Novel exterior, eco-friendly Polyurethane material, high quality, Commercial resistance to high impacts. Steel inside with Hard Chrome handle. Top quality for the professional gym.

TECHNICAL MEASURES
Weights:
1kg-10kg in 1kg increments
12.5kg-50kg in 2.5kg increments

▷ WL3005



▷ WL3105



DUMBBELL RACK

Assembly Size: 143 x 65 x 87 cm
For 13 pairs dumbbells

▷ WL3010



▷ WL7102 WL7112



DUMBBELL RACK

WL7102(6 Pairs)
Assembly Size: 125 x 52 x 81 cm
WL7112(12 Pairs)
Assembly Size: 245 x 52 x 81 cm

▷ WL7101



URETHANE OLYMPIC PLATE

Aesthetically pleasing design. Perfect for the professional gym! Eco-friendly polyurethane. Commercial resistance to high impacts. Stainless steel rim. Hole diam 50mm.

Weights:
1.25kg 2.5kg
5kg-25kg in 5kg increments

PLATE RACK

Assembly Size: 70 x 70 x 120 cm (H)

▶ WL7105



▶ WL7107



PU BARBELL SET

From 10 to 20 kg with 2.5 kg increments
From 25 to 45 kg with 5 kg increments

Straight pre-loaded barbells

▶ WL7106



▶ WL7108



PU SHAPED BARBELL SET

From 10 to 20 kg with 2.5 kg increments
From 25 to 45 kg with 5 kg increments

Curved pre-loaded barbells

WOODEN JERK BLOCK

TECHNICAL MEASURES

SIZE :

91 x 51 x 6CM

91 x 51 x 15CM

91 x 51 x 30CM

91 x 51 x 38CM

PRODUCT FEATURES

The jerk blocks are not limited to only the push jerk, some other potential uses would be: partial deadlifts, barbell rows, box jumps, shoulder presses, step ups, bodyweight bar rows, and more. The top platform must be used on top of the stack when the sets are in use.

WEIGHT LIFTING PLATFORM

TECHNICAL MEASURES

ASSEMBLY SIZE : 256 x 206 x 3.2CM

PRODUCT FEATURES

The weightlifting platform has a 50×25mm steel frame that bolts together.

Easily with gusseted comers.

The rubber surface is shock absorbing and will cause less wear and tear on your equipment.

It also dampens the sound when dropping a fully loaded barbell.

Also it is with additional band peg set for your dynamic effort workout.

▷ CD9003



▷ WL7001



▷ PG1050



DROP MAT

TECHNICAL MEASURES

SIZE : 100 x 50 x 14 cm (H)

PADDING : agglomerate 120 kg/cub.m

COVERING : black double-faced PVC

PRODUCT FEATURES

Couple of professional cushions made of special multilayer agglomerate, with Carbon coating, to absorb the falls of the barbell at full load.

Equipped with handles and eyelets. Made in Italy quality.

HANDLEBARS

REVOLVING LAT BAR

▷ WL8100



REVOLVING LAT BAR

▷ WL8101



REVOLVING LAT BAR

▷ WL8102



REVOLVING LAT BAR

▷ WL8103



TRICEP PRESS DOWN BAR

▷ WL8300



REVOLVING PRESS DOWN BAR

▷ WL8301



TRICEP PRESS DOWN BAR

▷ WL8302



REVOLVING CURL BAR

▷ WL8200



REVOLVING LAT BAR

▷ WL8201



REVOLVING CURL BAR

▷ WL8202



REVOLVING CURL BAR

▷ WL8203



REVOLVING CURL BAR

▷ WL8204



MULTI PURPOSE V-BAR

▷ WL8303



REVOLVING MULTI EXERCISE BAR

▷ WL8304



SINGLE TRICEP ROPE

▷ WL8305



PRO TRICEP ROPE

▷ WL8306



TRACTION PADDED ANKLET

▷ CP1231



SINGLE GRIP HANDLE

▷ WL8307



REVOLVING LOW PULLEY BAR

▷ WL8308



LOW PULLEY BAR

▷ WL8309



SINGLE GRIP HANDLE STRAP

▷ WL8310



CABLE ATTACHMENT RACK

▷ WL8400

Assembly Size : 47 x 43 x 101cm

